

1. COMPANY INFORMATION

Lindab Sverige AB

Company name:

Lindab Sverige AB

Organisation number:

556247-2273

Address:

Dolkvägen 16

Contact person:

Kundtjänst

E-mail:

kundtjanst.ventilation@lindab.com

Telephone:

+46 10 14 64 100

VAT number:

Website:

www.lindab.com

GLN:

7300009-00795-0

DUNS:

Company was last saved

2024-08-30 05:56:46

Company's certification

 ISO 9001 ISO 14001

Other:

Policies and guidelines

 The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented

 UN guiding principles for companies and human rights ILO's eight core conventions OECD Guidelines for Multinational Enterprises UN Global Compact ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping

Risk analysis

Action plan

Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

Id:

A-7300009-00795-0-142

Version:

2

Created:

2022-03-01 13:44:12

Last saved:

2024-09-20 08:22:55

Changes relates to:

Addition of GTIN.

Ceiling diffuser integra 2 - PC6, PC7, RC14, RCG

Article name:

Ceiling diffuser integra 2 - PC6, PC7, RC14, RCG

Article No/ID concept

Article identity: GTIN

7319660260628, 7319660260635, 7319660260642, 7319660260659, 7319660260666, 7319660260673, 7319660260680, 7319660260697, 7319660260710, 7319660260727, 7319660260734, 7319660260741, 7319660269751, 7319660269768, 7319660273178, 7319660273185, 7319660273192, 7319660304094, 7319660567376, 7319660567383, 7319660567390, 7319660567406, 7319660567413, 7319660567420, 7319660567437, 7319660567444, 7319660567451, 7319660567468, 7319660567475, 7319660567482, 7319666459682, 7319666459699, 7319666459705, 7319666459712, 7319666459729, 7319666459736, 7319666459743, 7319666459750, 7319666459767, 7319666459774, 7319666524106, 7319666524113, 7319666524120, 7319666524137, 7319666524144, 7319666524151, 7319666524168, 7319666524175, 7319666524182, 7319666524199, 7319666524205, 7319666524212, 7319666524267

Product group/Product group classification

Product group system	Product group id
BK04	21004
BSAB96	QM

Article description:

The diffuser is suitable for the horizontal supply of very cold air. The integrated swirl insert ensures optimum distribution and high induction. Assessments at Byggvarubedömningen etc. are registered under the name "Takdon Integra 2". It is also possible to use the article name as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2024-06-27

The article is covered by the RoHS Directive:

Enter the weight of the article:

No

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial.

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery	Weight% of product	
Component	Assembly parts	=1.73	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Bracket for safety strap		=2.3		
Bracket for safety strap	Steel	=100	CK15,1.1141	
DS-116		=80.46		
DS-116	Steel	=100	DX51D+Z100	
Kingnot M6		=5.17		
Lock nut		=1.15		
Lock nut	Steel	=100	CK15,1.1141	
Lockwasher for shaft		=1.15		
Lockwasher for shaft	Steel	=100	CK15,1.1141	
Safety strap		=2.3		
Safety strap	Steel	=100	CK15,1.1141	
Spring		=7.47		
Spring	Spring wire	=100	EN 10270-1-SH	

Component	Body	Weight% of product	=60.23
-----------	------	--------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Galvanized steel		=100		
Galvanized steel	Galvanized steel	=100	DX53D+Z/EN10142/2000	

Component	FP-RC-14-600-540		Weight% of product	=25.29
------------------	------------------	--	---------------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	DX54D+Z275	

Component	M4x8		Weight% of product	=0.13
------------------	------	--	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	CK15,1.1141	

Component	Magnet holder 35 mm		Weight% of product	=2.29
------------------	---------------------	--	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Magnet		=16.59		
Magnet	Steel	=100	11 S Mn Pb 30	
Magnet holder		=83.41		
Magnet holder	Steel	=100	11 S Mn Pb 30	

Component	Magnet holder for DS-116		Weight% of product	=0.56
------------------	--------------------------	--	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Magnet		=23.21		
Magnet	Steel	=100	11 S Mn Pb 30	
Magnet holder		=76.79		
Magnet holder	Steel	=100	11 S Mn Pb 30	

Component	Powder paint		Weight% of product	=3.05
------------------	--------------	--	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Powder paint		=100		

Powder paint	Powder paint	=100	25038-59-9
Comment: Plastic granulat.			

Component	Rubber for hole	Weight% of product	=0.13
------------------	-----------------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
SBR-rubber		=100		
SBR-rubber	SBR-rubber white	=100	9003-55-8	

Component	Safe sealing strip	Weight% of product	=6.59
------------------	--------------------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Rubber gasket		=10.93		
Rubber gasket	EPDM	=100	Proprietary.	
Steel		=87.1		
Steel	Steel	=100	DX51D+Z275 MA C/EN10142	
Steel band		=1.97		
Steel band	Steel	=100	DX51D+Z275 MA C/EN10142	

Phase	Mounted
--------------	---------

Component	Assembly parts	Weight% of product	=1.73
------------------	----------------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Bracket for safety strap		=2.3		
Bracket for safety strap	Steel	=100	CK15,1.1141	
DS-116		=80.46		
DS-116	Steel	=100	DX51D+Z100	
Kingnot M6		=5.17		
Lock nut		=1.15		
Lock nut	Steel	=100	CK15,1.1141	
Lockwasher for shaft		=1.15		
Lockwasher for shaft	Steel	=100	CK15,1.1141	
Safety strap		=2.3		
Safety strap	Steel	=100	CK15,1.1141	
Spring		=7.47		
Spring	Spring wire	=100	EN 10270-1-SH	

Component	Body	Weight% of product	=60.23
------------------	------	---------------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Galvanized steel		=100		
Galvanized steel	Galvanized steel	=100	DX53D+Z/EN10142/2000	

Component	FP-RC-14-600-540	Weight% of product	=25.29
------------------	------------------	---------------------------	--------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	DX54D+Z275	

Component	M4x8	Weight% of product	=0.13
------------------	------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Steel		=100		
Steel	Steel	=100	CK15,1.1141	

Component	Magnet holder 35 mm	Weight% of product	=2.29
------------------	---------------------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Magnet		=16.59		
Magnet	Steel	=100	11 S Mn Pb 30	
Magnet holder		=83.41		
Magnet holder	Steel	=100	11 S Mn Pb 30	

Component	Magnet holder for DS-116	Weight% of product	=0.56
------------------	--------------------------	---------------------------	-------

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Magnet		=23.21		
Magnet	Steel	=100	11 S Mn Pb 30	
Magnet holder		=76.79		
Magnet holder	Steel	=100	11 S Mn Pb 30	

Component	Powder paint	Weight% of product	=3.05
------------------	--------------	---------------------------	-------

Comment

The data provider is solely responsible for data on articles/products that have been registered in the database. The data provider and the Swedish Association of Construction Product Industries cannot be held responsible for correct information incorrectly entered into the database.

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Powder paint		=100		
Powder paint	Powder paint	=100	25038-59-9	
Comment: Plastic granulat.				

Component	Substance	Weight% of product
Rubber for hole		=0.13

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
SBR-rubber		=100		
SBR-rubber	SBR-rubber white	=100	9003-55-8	

Component	Substance	Weight% of product
Safe sealing strip		=6.59

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Rubber gasket		=10.93		
Rubber gasket	EPDM	=100	Proprietary.	
Steel		=87.1		
Steel	Steel	=100	DX51D+Z275 MA C/EN10142	
Steel band		=1.97		
Steel band	Steel	=100	DX51D+Z275 MA C/EN10142	

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

Raw materials

Total recycled material in the article

Is recycled material included in the article?

Material

Stainless steel

Share of waste (from own production)

25

Share of waste (from other people's production)

0

Recycled material (treated)

75

Recycled material

75

Weight/percent by weight

75 %

Comment

About 75% recycled material are being used in the production of stainless steel.

Material

Steel

Share of waste (from own production)

0

Share of waste (from other people's production)

0

Recycled material (treated)

100

Recycled material

20

Weight/percent by weight

20 %

Comment

About 20% recycled material are being used in the production of steel.

Renewable material

Enter proportion of renewable material in the article

0

Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

No

If yes, please indicate what percentage of the material in question (or item?)

Wood raw materials

Wood raw materials are included

Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

EPD Hub Core PCR version 1.0.

HUB-0671

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

The information refer to "gate to gate", inflows (raw materials, inputs, energy, etc.) for the registered product into the manufacturing unit, and outflows (emissions and waste) from it and relates to unit of product 1 kg.

Country of final manufacture: Denmark or Czech Republic.

Energy used in the manufacturing process of the product is electricity from renewable sources.

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Näringslivets producentansvar.

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpall?

No

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

Yes

Specify

To prevent soiling and oxidation, the product should be stored protected from the weather. See Lindab's product catalogue for more information.

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

>50 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. There is a special instruction for the care of this product, see Lindab's product catalogue for more information. The product can be adapted to work with new tech.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Can the product be separated into pure material types for recycling?

Yes

Specify:

The parts can easily be separated.

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The entire product can be reused.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

~99% of the material can be recycled.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Should be recycled according to recommended waste code.

Waste code for the delivered article when it becomes waste

170203 - 03 Plast.

170405 - 05 Järn och stål.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

- The article is not intended for indoor use
- The article does not emit any substances
- Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Electrical field

Magnetic fields

Can the article give rise to own noise?

Can the article give rise to electrical fields?

Can the article give rise to magnetic fields?

Not applicable

Not applicable

Not applicable

Value:

Value:

Value:

Unit:

Unit:

Unit:

Measuring method:

Measuring method:

Measuring method:

Paints and varnishes

- The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information